Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012



Name of the product

Ground Calcium Carbonate

Revision Date: February 2024 Version: 2.0/EN

```
SECTION 1: Identification
```

1.1. Product identifier

Product name

Ground Calcium Carbonate

Other names / Synonyms

PREMIACAL®, GCC, Calcium Carbonate HiCal Stone UW, HiCal Stone, HiCal Stone PULV, Pulverized Limestone 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Luxury Vinyl Tile – PVC Extender; Carpet Backing- Latex Extender; Roofing Materials- Asphalt Mineral Filler; Rubber, Plastics, and PVC, Paint, Caulk, Grout, and Joint Compounds; Cement Replacement in Concrete up to 15%; Animal Feed - Calcium Source; improve soil texture and supply key minerals to crops; neutralize soil acidity and raise pH; increase the effectiveness of fertilizer.

Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Carmeuse Americas

11 Stanwix Street, 21st Floor PA 15222 Pittsburgh USA Phone: (412) 995-5500 Fax: (412) 995-5594 https://www.carmeuse.com/

1.4. Emergency telephone number Infotrac: (800) 535-5053 (24hr/7days a week)

See also section 4 "First aid measures".

SECTION 2: Hazard(s) identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

2.1. Classification of the substance or mixture

Skin Irrit. 2; H315, Causes skin irritation. Eye Irrit. 2; H319, Causes serious eye irritation. Carc. 1A; H350i, May cause cancer by inhalation. STOT RE 1; H372, Causes damage to organs through prolonged or repeated exposure.

2.2. Label elements

Hazard pictogram(s)



Signal word Danger

Hazard statement(s)

Causes skin irritation. (H315) Causes serious eye irritation. (H319) May cause cancer by inhalation. (H350i) Causes damage to organs through prolonged or repeated exposure. (H372)

Precautionary statement(s)

General

If medical advice is needed, have product container or label at hand. (P101) Keep out of reach of children. (P102)

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012



Name of the product

Ground Calcium Carbonate

Revision Date: February 2024 Version: 2.0/EN

Prevention

Obtain special instructions before use. (P201) Do not breathe dust. (P260) Wash hands thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Wear eye protection/protective gloves. (P280)

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

IF exposed or concerned: Get medical advice/attention. (P308+P313)

Get medical advice/attention if you feel unwell. (P314)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage

Store locked up. (P405)

Disposal

Dispose of contents/container in accordance with local regulation

(P501)

Additional labelling

Restricted to professional users.

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

3.2. Mixtures

Not applicable. This product is a mixture.

Product/substance	Identifiers	% w/w	Classification	Note
Calcium carbonate	CAS No.: 471-34-1	80-95%	Skin Irrit. 2, H315 Eye Irrit. 2, H319	
Silica-crystalline quartz	CAS No.: 14808-60-7	1-3%	Carc. 1A, H350i STOT RE 1, H372	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available. Other information

Crystalline Silica is reported as total silica and not just the respirable fraction. There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

SECTION 4: First-aid measures

4.1. Description of first aid measures

General information

If breathing is irregular, drowsiness, loss of consciousness or cramps: Call 911 and give immediate treatment (first aid).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012

Name of the product

Ground Calcium Carbonate

Revision Date: February 2024 Version: 2.0/EN

Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO2) Some metal oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the Poison Help Line on 1-800-222-1222 (24/7) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

6.3. Methods and material for containment and cleaning up

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012



Name of the product

Ground Calcium Carbonate

Revision Date: February 2024 Version: 2.0/EN

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product. Avoid contact during pregnancy and while nursing. Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

No special conditions required.

Recommended storage material

Always store in containers of the same material as the original container.

Storage temperature

No specific requirements

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Silica-crystalline quartz

Long term exposure limit (ACGIH TLV) (mg/m³): 0.025 (resp.) for α-quartz and cristobalite Long term exposure limit (NIOSH REL) (mg/m³): Potential occupational carcinogen; 0.05 Part 1910 - Occupational Safety and Health Standards (29 CFR 1910.1000 TABLE Z-1 - Limits for Air Contaminants)

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

Do not recirculate outlet air that contain the substances.

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and showers are clearly marked.

Hygiene measures

Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

Use with adequate general or local exhaust ventilation and to maintain

exposure below occupational exposure limits.

Individual protection measures, such as personal protective equipment

Generally

Appropriate footwear, additional skin & eye protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012

Name of the product

Ground Calcium Carbonate

Revision Date: February 2024 Version: 2.0/EN

Respiratory Equipment

Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Wear an appropriate NIOSH approved respirator if concentration levels exceed the safe exposure limits.

Skin protection

When prolonged skin contact is likely to occur, wear appropriate clothing.

Hand protection

Recommended to wear appropriate gloves - such as any impervious heavy-duty glove.

Eye protection

Safety glasses with side shields. In windy conditions, or if work activity generates elevated airborne dust levels, dust proof or chemical goggles are recommended. Contact lenses should not be worn.

SECTION 9: Physical and chemical properties

```
9.1. Information on basic physical and chemical properties
  Physical state
      Solid
  Color
      White to dark Gray
  Odor
      None
  Odor threshold (ppm)
      Testing not relevant or not possible due to nature of the product.
  pН
      Testing not relevant or not possible due to nature of the product.
  Density (g/cm<sup>3</sup>)
      Testing not relevant or not possible due to the nature of the product.
  Relative density
      2.65
  Kinematic viscosity
      Testing not relevant or not possible due to nature of the product.
Phase changes
  Melting point (°F)
      1742
  Melting point (°C)
      950
  Boiling point (°F)
     5162
  Boiling point (°C)
      2850
  Vapor pressure
      Testing not relevant or not possible due to nature of the product.
  Relative vapour density
      Testing not relevant or not possible due to nature of the product.
  Decomposition temperature (°F)
      1742
  Decomposition temperature (°C)
      950
  Evaporation rate (n-butylacetate = 100)
      Testing not relevant or not possible due to nature of the product.
Data on fire and explosion hazards
  Flash point (°F)
```

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012



Name of the product

Ground Calcium Carbonate

Revision Date: February 2024 Version: 2.0/EN

Flammability (°F) Testing not relevant or not possible due to nature of the product. Auto-ignition temperature (°F) Testing not relevant or not possible due to nature of the product. Explosion limits (% v/v) Testing not relevant or not possible due to nature of the product. Solubility Solubility in water Insoluble n-octanol/water coefficient (LogKow) Testing not relevant or not possible due to nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to nature of the product. 9.2. Other information Evaporation rate (n-butylacetate = 100) Testing not relevant or not possible due to nature of the product. Other physical and chemical parameters No data available. Oxidizing properties Testing not relevant or not possible due to nature of the product. SECTION 10: Stability and reactivity 10.1. Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions None known. 10.4. Conditions to avoid None known. 10.5. Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents. 10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1. SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity Product/substance Silica-crystalline quartz Species: Rat Route of exposure: Oral LD50 Test: Result: 22500 mg/kg Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory sensitisation Based on available data, the classification criteria are not met. Skin sensitisation

Based on available data, the classification criteria are not met.

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012



Name of the product

Ground Calcium Carbonate

Revision Date: February 2024 Version: 2.0/EN

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.

Long term effects

Carcinogenic effects: This product contains substances considered or proven to be carcinogenic. The carcinogenic effects may be triggered subsequent to exposure through inhalation, skin contact or ingestion. Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

Other information

Silica-crystalline quartz has been classified by IARC as a group 1 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

12.3. Bioaccumulative potential

Based on available data, the classification criteria are not met.

- 12.4. Mobility in soil No data available.
- 12.5. Results of PBT and vPvB assessment
 - This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.
- 12.6. Other adverse effects None known.

SECTION 13: Disposal considerations

RCRA Hazardous waste ("P" and "U" list) (40 CFR 261)

None of the components are listed

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / IC	14.2) UN proper shipping name	14.3 Hazard class(es)	14.4 PG	14.5 *Env**	Other information:
DOT	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012



Name of the product

Ground Calcium Carbonate

Revision Date: February 2024 Version: 2.0/EN

 * Packing group ** Environmental hazards Additional information Not dangerous goods according to DOT, IATA and IMDG. 14.6. Special precautions for user Not applicable. 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available.
SECTION 15: Regulatory information
 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture 15.2. U.S. Federal regulations TSCA (the non-confidential portion) Calcium carbonate is listed Silica-crystalline quartz is listed Clean Air Act None of the components are listed
EPCRA Section 302 None of the components are listed EPCRA Section 304 None of the components are listed EPCRA section 313 None of the components are listed CERCLA None of the components are listed
State regulations California / Prop. 65 None of the components are listed Massachusetts / Right To Know Act Silica-crystalline quartz is listed New Jersey / Right To Know Act Silica-crystalline quartz / Substance number: 1660
Silica-crystalline quartz is on the Special Health Hazard Substance List New York / Right To Know Act None of the components are listed Pennsylvania / Right To Know Act Silica-crystalline quartz is listed 15.4. Restrictions for application
 Restricted to professional users. Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered. 15.5. Demands for specific education No specific requirements. 15.6. Additional information
Not applicable. 15.7. Chemical safety assessment No 15.8. Sources OSHA Hazard Communication Standard (29 CFR 1910.1200)
No specific requirements. 15.9. Additional information Not applicable.



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012



Ground Calcium Carbonate

Revision Date: February 2024 Version: 2.0/EN

15.10. Chemical safety assessment No 15.11. Sources OSHA Hazard Communication Standard (29 CFR 1910.1200) SECTION 16: Other information Full text of H-phrases as mentioned in section 3 H315, Causes skin irritation. H319, Causes serious eye irritation. H350i, May cause cancer by inhalation. H372, Causes damage to organs through prolonged or repeated exposure. The full text of identified uses as mentioned in section 1 None known Abbreviations and acronyms ACGIH = American Conference of Governmental Industrial Hygienists ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CERCLA = Comprehensive Environmental Response Compensation and Liability Act DOT = Department of Transportation EINECS = European Inventory of Existing Commercial chemical Substances EPCRA = Emergency Planning and Community Right-To-Know Act GHS = Globally Harmonized System of Classification and Labelling of Chemicals HCIS = Hazardous Chemical Information System HNOC = Hazards Not Otherwise Classified IARC = International Agency for Research on Cancer IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) NFPA = National Fire Protection Association NIOSH = National Institute for Occupational Safety and Health OECD = Organisation for Economic Co-operation and Development OSHA = Occupational Safety and Health Administration PBT = Persistent, Bioaccumulative and Toxic RCRA = Resource Conservation and Recovery Act RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SARA = Superfund Amendments and Reauthorization Act SCL = A specific concentration limit. STEL = Short-term exposure limits STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TSCA = The Toxic Substances Control Act TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by HCS (29 CFR 1910.1200).

MFUSF



Conforms to OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200 / revised 2012



Ground Calcium Carbonate

Revision Date: February 2024 Version: 2.0/EN

Other

MFUSF

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: US-en

Disclaimer: The information contained herein is believed to be accurate and reliable as of the date hereof. However, Carmeuse makes no representation, warranty or guarantee as to results or as to the information's accuracy, reliability or completeness. Carmeuse has no liability for any loss or damage that may result from use of the information. Each user is responsible to review this information, satisfy itself as to the information's suitability and completeness, and circulate the information to its employees, customers and other appropriate third parties.